The Journal of Experimental Medicine

Correction: Early onset combined immunodeficiency and autoimmunity in patients with loss-of-function mutation in *LAT*Baerbel Keller, Irina Zaidman, O. Sascha Yousefi, Dov Hershkovitz, Jerry Stein, Susanne Unger, Kristina Schachtrup, Mikael Sigvardsson, Amir A. Kuperman, Avraham Shaag, Wolfgang W. Schamel, Orly Elpeleg, Klaus Warnatz, and Polina Stepensky

Vol. 213, No. 7, June 27, 2016. https://doi.org/10.1084/jem.20151110

The authors regret that in the original version of their paper, two values for patient 2 in Table 2 were incorrect. The corrected values are red in the table below.

This has been corrected in the online HTML and PDF versions. The error remains only in the print version.

Table 2. Immune phenotype of patient 1, 2, and 3

	Patient 1 (6 yr)				Patient 2 (8 yr)				Patient 3 (2 yr)			
	Relative counts	Reference values	Absolute	Reference values	Relative counts	Reference values	Absolute	Reference values	Relative counts	Reference values	Absolute	Reference values
Lymphocytes ^a		-	1,855	1,800-5,000			900	1,800-5,000			4,950	2,800-6,400
B cells ^a	2.0	8.5-20.2	37	296-784	3.8	8.5-20.2	34	296-784	29.9	17.3-30.0	1,480	686-1,732
CD4 ^a	4.0	26.5-41.4	74	641-1,453	24.5	26.5-41.4	220	641-1,453	6.4	28.1-43.2	317	925-2,477
CD8 ^b	45.0	13-47	834	200-1,700	38.3	13-47	345	200-1,700	4.5	9-49	223	200-1,800
NK cells ^b	6.0	2-31	114	70-590	1.7	2-31	16	70-590	0.9	2-25	45	61-510
B cell	ND		ND						ND		ND	
subpopulationsa												
Transitional					21.1	3.4-9.0	5	13-63				
Naive					68.7	47.8-69.8	23	154-413				
IgM memory					3.5	6.3-22	2	24-135				
IgM only					0.7	2-11.8	1	7-65				
IgA cs memory					0	1.1-6.1	0	5-35				
IgG cs memory					0	2.7-14	0	13-74				
CD21low					6.3							
CD4 subpopulations ^a	ND		ND						ND		ND	
RTE ^c					24.4	61-84.2	1					
Naive					2.4	55.6-75.8	5	375-1,096				
CD45R0					97.5	24-43						
T reg cells					2.0	2.3-7.7	5	18-86				
cTFH ^d					35.0	18.4-29.9	112	51-218				
Th2+Th17-like cTFHd					29.4	39.9-66.1	33	26-85				
CD8 subpopulations ^b	ND		ND						ND		ND	
Naive					0.3	16-100	1	42-1,300				
Central memory					2.4	1-6	8	6-43				
Effector memory					65.9	5-100	227	45-410				
Terminally differentiated					1.6	15-41	6	57-340				
γδ T cells ^e	ND		ND		37.2	<10	282	12-175	72	<10	2,217	12-175
DN T cells ^e	51				38				72			
NK T cells ^e	ND		ND		0.005	>0.01	ND		ND		ND	

Relative counts are shown as a percentage of parental population. Absolute numbers refer to cells/microliter. CD4 T cell subpopulations: recent thymic emigrants (RTEs), CD31* of CD45RA* CD4 T cells; T reg cells, CD127* CD25hi of CD45RA* CD4 T cells; circulating T follicular helper-like cell (cTFH), CXCR5* of CD45RA* CD4 T cells; Th2/Th17-like cTFH, CXCR3* of CXCR5* CD45RA* CD4 T cells. CD8 T cell populations: naive, CCR7* CD45RA* CD27*; terminally differentiated, CCR7* CD45RA* CD27*; central memory, CCR7* CD45RA* CD27*; effector memory, CCR7* CD45RA* CD27*. Double-negative (DN) T cells, CD4*/CD8* of CD3 T cells. NK T cells, V\(\alpha\)24 V\(\beta\)11 CD3 T cells. es, class switched.

The Journal of Experimental Medicine

avan Gent et al., 2009.

^bSchatorjé et al., 2012.

^cPercentage of naive CD4 T cells.

dInternal reference value.

eInternal reference value of CD3 T cells.